

ANALIZA BIAŁEK



100012240

Laboratory of Analysis

Client: RIVER PEPTIDES
Order number: 100012240
Name: GLOW GL700110
Number of samples: 1 vial

Batch number: -----
Receive date: 2026-01-27
Start date: 2026-02-06
Enda date: 2026-02-10

Sample identification

Substance	Method of taking a sample	Form
-----	Sample provided by customer	Blue powder in glass vial

Results

Substance	Sample name	Content	Purity
BPC-157	GLOW GL700110	10,69mg	99%
TB-500	GLOW GL700110	10,27mg	99%
GHK-Cu	GLOW GL700110	53,83mg	99%

Research comment

The test sample was applied in the amount of 3 μ l to the BioBasic 8 Thermo Scientific column. During the course of the analysis with the method a linear gradient in the solutions of H₂O and Acetonitrile with the addition of 0.1% trifluoroacetic acid, a peaks of the sought substances appeared. Its concentration, when compared to the reference chromatogram shows the table above. Height the measurement error is + - 0,05 mg. The actual state of the sample sent before the test is presented on the photo below

Photo of the test sample




Password

E39LVU29



Analiza Białek sp. z o.o.
KRS: 0000966168
NIP: 8992922970
REGON: 521751875

Headquarters and Laboratory:
ul. Duńska 9, 54-427 Wrocław
Budynek DELTA

Lab technician:
Analysis and research specialist
mgr Arkadiusz Zajęc




Chromatogram



Password

E39LVU29



Method

Time	H2O + 0,1% TFA	ACN + 0,1% TFA
0min	95%	5%
2min	95%	5%
12min	5%	95%
15min	5%	95%

Password

E39LVU29